

<b>Acetaminophen Dosage (Tylenol) For Fever &amp; Pain</b>				
<b>Child's Weight</b> More than pounds	<b>Infant's Concentrated Drops</b> 80mg	<b>Children's Suspension Liquid</b> 160mg/5mL	<b>Children's Soft Chewable Tablets</b> 80mg each	<b>Junior Strength Chewable Tablets</b> 160mg each
<b>lbs</b>	<b>Dropper</b> (use dropper)	<b>Teaspoon</b> (use dosing cup)	<b>Tablet</b>	<b>Tablet</b>
7 lbs	1/2	-	-	-
9 lbs	3/4	-	-	-
12 lbs	1	1/2	-	-
16.5 lbs	1 1/4	-	-	-
18.5 lbs	1 1/2	3/4	1 1/2	-
21 lbs	1 3/4	-	-	-
24 lbs	2	1	2	1
30 lbs	-	-	-	-
35 lbs	3	1 1/2	3	1 1/2
42 lbs	-	-	-	-
47 lbs	-	2	4	2
110 lbs	-	4	8	4

**Please note: Do not administer Tylenol to children less than 6 weeks old. Do not exceed 5 does in 24 hours in children.**

<b>Ibuprofen Dosage (Advil, Motrin) for Fever &amp; Pain</b>				
<b>Weight</b>	<b>Infant's Ibuprofen Concentrated Drops</b> 50mg	<b>Children's Ibuprofen Suspension</b> 100mg/5mL	<b>Children's Soft Chewable Tablets</b> 50mg each	<b>Junior Strength Chewable Tablets</b> 100mg each
<b>lbs</b>	<b>Dropper</b> (use dropper)	<b>Teaspoon</b> (use dosing cup)	<b>Tablet</b>	<b>Tablet</b>
12 lbs	1	1/2	-	-
18 lbs	1 1/2	3/4	-	-
24 lbs	2	1	2	-
36 lbs	3	1 1/2	3	-
48 lbs	4	2	4	2

60 lbs	-	2 1/2	5	2 1/2
72 lbs	-	3	6	3
96 lbs	-	4	8	4

**Please Note: Ibuprofen is not recommended for patients under 6 months of age. Do not exceed 4 does of ibuprofen in 24 hours.**